



UNSTOPPABLE
INNOVATION
UNBEATABLE
PROGRESSION

SEGA CERAMICS PVT. LTD.

B-A, National Highway,
Dhuva. 363 622 (Guj.) INDIA.

Customer care : +91 98256 55000
E-mail : segaceramics@gmail.com

www.segatile.com

SEGA
TILES

300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65045-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65044-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65043-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65042-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65041-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65040-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65039-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65038-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65037-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65036-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65035-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65034-EL



300x
600mm
ELEVATION

DIGITAL WALL TILES

SEGA
TILES



65033-EL



300x
600mm
ELEVATION

DIGITAL WALL TILES

SEGA
TILES




65032-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65030-EL




300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65029-EL




300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65028-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65026-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65025-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65024-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65023-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65022-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65021-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65020-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65019-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65018-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65017-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65016-EL




300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65014-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65013-EL




300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65012-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65011-EL




300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65010-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65009-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES




65008-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65007-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65006-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65005-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65004-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65003-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65002-EL



300x
600mm ■
ELEVATION

DIGITAL WALL TILES ■

SEGA
TILES



65001-EL



DIGITAL WALL TILES

Sr No.	CHARACTERISTICS	TEST METHOD	15622 / 2013 Group B III		SEGA VALUE	
A	Dimension & Surface Quality		Rectified	Un - Rectified	Rectified	Un - Rectified
1	Deviation in Length & Width	IS - 13630 - 1	± 0.3%	± 0.4%	± 0.1%	± 0.2%
2	Deviation in Thickness	IS - 13630 - 1	± 5.0%	± 5.0%	± 3.0%	± 3.0%
3	Straightness of Side	IS - 13630 - 1	+/-0.15%	± 0.2%	± 0.1%	± 0.2%
4	Rectangularity	IS - 13630 - 1	± 0.2%	± 0.3%	± 0.15%	± 0.3%
5	Surface Flatness	IS - 13630 - 1	± 0.3%	± 0.3%	± 0.2%	± 0.2%
6	Surface Quality	IS - 13630 - 1	95% of The Tiles Free From Visible Defect	95% of The Tiles Free From Visible Defect	95%	95%
B	Physical Properties					
1	Water Absorption	IS - 13630 - 2	10 - 20%	10 - 20%	18%	18%
2	Modulus Of Rupture	IS - 13630 - 6	>15 N/MM ²	>15 N/MM ²	>17 N/MM ²	>17 N/MM ²
3	Flexure Breaking Strength	IS - 13630 - 6	>600 N	>600 N	>700 N	>700 N
4	Moisture Expansion	IS - 13630 - 3	0.04% Max.	0.04% Max.	0.01% Max.	0.01% Max.
5	Scratch Hardness (Moh's)	IS - 13630 - 13	Min. 3	Min. 3	Min. 3	Min. 3
6	Resistance of Surface Abrasion	IS - 13630 - 11	Min. II	Min. II	Min. II	Min. II
7	Thermal Expansion	IS - 13630 - 4	9 x 10 ⁻⁴ K ⁻¹	9 x 10 ⁻⁴ K ⁻¹	9 x 10 ⁻⁴ K ⁻¹	9 x 10 ⁻⁴ K ⁻¹
8	Thermal Shock Resistance	IS - 13630 - 5	Min. 10 Cycles	Min. 10 Cycles	10 Cycles Passed	10 Cycles Passed
9	Crazing Resistance	IS - 13630 - 9	Min. 04 Cycles	Min. 04 Cycles	04 Cycles Passed	04 Cycles Passed
C	Chemical Properties					
1	Resistance of Staining	IS - 13630 - 8	Class I Min.	Class I Min.	Class II	Class II
2	Household Chemicals	IS - 13630 - 8	Class AA Min.	Class AA Min.	Class AA	Class AA
3	Acid Resistance	IS - 13630 - 8	Resistance	Resistance	Resistance	Resistance

PACKING DETAILS

TILE SIZE	THICKNESS (approx)	NO. OF TILES / BOX	WEIGHT / BOX (approx)	COVERAGE AREA / BOX (approx)	COVERAGE AREA / BOX (approx)
750x250 mm	9.0 mm	5 Pcs	15 kg.	10.08 Sq. Ft.	0.94 Sq. Mtr.
300x600 mm	9.0 mm	5 Pcs	14 kg.	9.68 Sq. Ft.	0.90 Sq. Mtr.
300x450 mm	8.0 mm	6 Pcs	12 kg.	8.71 Sq. Ft.	0.81 Sq. Mtr.
300x300 mm	8.0 mm	9 Pcs	11 kg.	8.71 Sq. Ft.	0.81 Sq. Mtr.

NOTE : Certain amount of size and shade variation is inherent in all ceramic products • Our conformity to the above standards is applicable only for Premium Quality. • Colours shown are as accurate as the limitations of the printing process will allow. • Prospective customers are advised to inspect a sample of the tile before ordering. • Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specification without prior notice. • Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggested to check the tiles before purchase and laying as the company does not accept responsibility once the tiles are laid.



An ISO 9001:2008 Certified

