


CATALOGUE 2024



VITRIFIED TILES 600x1200mm









WWW.SEGATILES.COM














Eco Friendly Anti-

Zero Abrasion Maintenance Resistance Thickness

10/9.5mm


Highly Durable



















BENZIN DUSKY / POLISH


DUSKY CLAY / MATT



POLISH / MATT SURFACE PLATINUM








BENZIN PEARL / POLISH

PEARL CLAY / MATT




POLISH / MATT SURFACE PLATINUM










BENZIN KARO / POLISH

KARO CLAY / MATT














FYNEEN TAJ / POLISH

TAJ CLAY / MATT














FYNEEN SEA SAND / POLISH

SEA SAND CLAY / MATT












FYNEEN SKYLINE / POLISH

SKYLINE CLAY / MATT



















MERCUM CLAY / MATT















FYNEEN BURTON / POLISH


BURTON CLAY / MATT














FYNEEN CASA BLANCA / POLISH



CASA BLANCA CLAY / MATT




POLISH / MATT SURFACE PLATINUM












FYNEEN SPRING / POLISH


SPRING CLAY / MATT




POLISH / MATT SURFACE PLATINUM











FYNEEN MURKY / POLISH

MURKY CLAY / MATT

















DOVE CLAY / MATT














MYSARA CLUSTER / POLISH

CLUSTER CLAY / MATT
















CAFÉ CLAY / MATT
















TWILIGHT CLAY / MATT



POLISH / MATT SURFACE PLATINUM













MYSARA INFINITY / POLISH

INFINITY CLAY / MATT












Syton THE LUXURY

DUSKY STONE / MATT

DUSKY WAVE / MATT













KARO WAVE / MATT













MOCA STONE / MATT

MOCA WAVE / MATT










Syton REFINED THE LUXURY

PEARL STONE / MATT

PEARL WAVE / MATT

OUR **PRESENCE**



IN INDIA







TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER ISO- 13006 / EN14411 GROUP BLA	VALUE OF SYTON	TEST METHOD
	REGULATORY PROPERTIES			
01	Deviation in length & width	± 0.50%	± 0.20%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 4.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.20%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.20%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-16
	STRUCTURAL PROPERTIES			
01	Water Absorption	< 0.50%	< 0.50 %	ISO-10545-3
02	Apparent density	> 2.00 g/cc	> 2.28 g/cc	DIN 51082
	MASSIVE MECHANICAL PROPERTIES			
01	Modulus or rupture	Min. 35 N/mm	Min. 45 N/mm	ISO-10545-4
02	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
03	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
	SURFACE MECHANICAL PROPERTIES			
01	Deep abrasion resistance	Max. 175mm	Max. 132mm	ISO-10545-6
02	Moh's hardness	Min. 6	7	EN 101
03	Surface Abrasion Resistance	As per mfg.	N. A.	ISO-10545-7
	THERMOHYDROMETRIC PROPERTIES			
01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion(COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁶	ISO-10545-8
04	Crazing Resistance	As Per Mfg.	N.A.	ISO-10545-11
	CHEMICAL PROPERTIES			
01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14
	SAFETY PROPERTIES			
01	Slip resistance (friction co efficent)	> 0.40	> 0.40	ISO-10545-17

APPLICATION



PACKING DEATIL

	SIZE	PCS./BOX	WEIGHT / BOX	AREA / BOX
	60x120cm (MATT)	2 Pcs.	31Kg.	1.44 Sq. Mtr.
	60x120cm (GLOSSY)	2 Pcs.	29Kg.	1.44 Sq. Mtr.

Note: Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above fast is applicable only for quality. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company does not accect responsibility once the tiles are laid.







1200x1800mm



800x1600mm

POLARIS

1000x1000mm



POLARIS

800x800mm



600x1200mm FULLBODY



SEGA GRANITO LLP.

Morbi-Halvad Highway, At. Nichimandal, Morbi - 363 642, (Guj.) INDIA.

Customer Care : +91 75750 75075 E-mail : info@segatiles.com

www.segatiles.com