

CATALOGUE 2024





ABOUT US

Built upon the genetic codemap of a leader, SEGA has remained at the forefront of innovation ever since its inception in 2009. Thanks to our core belief of remaining ahead of time, we have till date introduced some milestrones in product development highly appreciated both by our customers and peers or competitors. The company made its foray into ceramic world by converging a diverse set of strengths, system and standards, spearheaded by a highly experienced leadership team, the success saga of SEGA continues to spread smiles of satisfaction for their valued clientele.

By remaining ahead of the curve, we expand our technical excellence by introducing latest range of equipment and machinery while broadening our production base at the same time.

1200x1800mm | 1000x1000mm | 800x1600mm | 800x800mm | 600x1200mm Double Charge Tiles

600x1200mm Full Body Tiles

Biggest Manufacturer



CERTIFICATES







CREATIVESURFACES

Designed with a longer spout and high on comfort and extremely convenient to use. Define your decor with, add a unique and suitable touch for good look of your space. Presenting a essential design combined with sustainable quality.



Monochromatic spaces deserves quality of material for perfect balance. Here, we are showcasing the durable tiles for your spaces and give them your ambiances to a strong feel.



800x1600mm









Stand for the royal cleanliness of designs with stunning finish come together to create a masterpiece for your space and make theme picture perfect look.




FEATURES











Abrasion





Thickness



Highly Durable









SEGATILES.COM

FOGG WHITE

























MARCELLA CREMA



MARCELLA WHITE













ASCELLA CREMA



ASCELLA WHITE

























DENCELLA CREMA



DENCELLA WHITE

























PANDORA WHITE



PANDORA AQUA

























PANDORA CREMA



PANDORA BEIGE

























PANDORA GRAY



PANDORA CHARCOL











HEAVY FROST FLEXIBLE RESISTANT FLEXIBLE BODY













PANDORA BROWN



PANDORA BLACK















800x 1600mm



17-18



SEGATILES.COM

MOON MARBLE



TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER IS 15622:2006 GROUP BIA	OUR VALUE	TEST METHOD			
REGULATORY PROPERTIES							
01	Deviation in length & width	± 0.5%	± 0.1%	ISO-10545-2			
02	Deviation in thickness	± 5.0%	± 2.0%	ISO-10545-2			
03	Straightness of sides	± 0.5%	± 0.1%	ISO-10545-2			
04	Rectangularity	± 0.5%	± 0.1%	ISO-10545-2			
05	Surface flatness	± 0.5%	± 0.2%	ISO-10545-2			
06	Colour difference	Unaltered	No Change	ISO-10545-16			
07	Glossiness	As per manufacturer	Min 70%	Glossometer			
	STRUCTURAL PROPERTIES						
01	Water Absorption	< 0.5%	< 0.05 %	ISO-10545-3			
02	Apparent density	> 2.0 gm/cc	> 2.28 gm/cc	DIN 51082			
	MASSIVE MECHANICAL PROPERTIES						
01	Flexural modulus or rupture	Min 35 N/mm²	Min 40 N/mm²	ISO-10545-4			
02	Flexural breaking strength	Min 1300 N	Min.2000 N	ISO-10545-4			
03	Impact resistance	As per manufacturer	Min. 0.55	ISO-10545-5			
	SURFACE MECHANICAL PROPERTIES						
01	Deep abrasion resistance	Max 175mm ³	Max 132mm ³	ISO-10545-6			
02	Moh's hardness	Min 6	8 ⁺	EN 101			
	THERMOHYDROMETRIC PROPERTIES						
01	Frost resistance	No Damage	Frost proof	ISO-10545-12			
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9			
03	Moisture expansion	Nil	Nil	ISO-10545-10			
04	Thermal Expansion	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO-10545-8			
	CHEMICAL PROPERTIES						
01	Chemical resistance	No Damage	No Damage	ISO-10545-13			
02	Satin resistance	Resistance	Resistance	ISO-10545-14			
	SAFETY PROPERTIES						
01	Slip resistance (friction co efficent)	> 0.40	> 0.40	ISO-10545-17			

PACKING DETAILS

TILE SIZE	THICKNESS	TILES / BOX	WEIGHT / BOX	COVERAGE AREA / BOX	COVERAGE AREA / BOX
800x1600mm	9.5mm _(Approx)	2 Pcs.	52 Kg. _(Approx)	27.55 Sq. Ft.	2.55 Sq. Mtr.







1200x1800mm



800x1600mm

POLARIS

1000x1000mm



POLARIS

800x800mm



600x1200mm FULLBODY



SEGA GRANITO LLP.

Morbi-Halvad Highway, At. Nichimandal, Morbi - 363 642, (Guj.) INDIA.

Customer Care : +91 75750 75075 E-mail : info@segatiles.com

www.segatiles.com